

12V Switching Power Supply IP20



| MODEL | OUTPUT |
|---------|------------|
| S-12-12 | 12V1A |
| WEIGHT | SIZE |
| 55g | 70*40*30mm |



| MODEL | OUTPUT |
|---------|------------|
| S-25-12 | 12V2A |
| WEIGHT | SIZE |
| 122g | 85*57*34mm |



| MODEL | OUTPUT |
|---------|-------------|
| S-40-12 | 12V3.2A |
| WEIGHT | SIZE |
| 180g | 110*78*36mm |



| MODEL | OUTPUT |
|---------|--------------|
| S-60-12 | 12V5A(SMALL) |
| WEIGHT | SIZE |
| 190g | 110*78*36mm |



| MODEL | OUTPUT |
|---------|-------------|
| S-60-12 | 12V5A(BIG) |
| WEIGHT | SIZE |
| 310g | 158*97*42mm |



| MODEL | OUTPUT |
|----------|-------------|
| S-100-12 | 12V8.5A |
| WEIGHT | SIZE |
| 340g | 158*97*42mm |

12V Switching Power Supply IP20



| MODEL | OUTPUT |
|----------|-------------|
| S-120-12 | 12V10A |
| WEIGHT | SIZE |
| 461g | 199*97*42mm |



| MODEL | OUTPUT |
|----------|-------------|
| S-150-12 | 12V12.5A |
| WEIGHT | SIZE |
| 470g | 199*97*42mm |



| MODEL | OUTPUT |
|----------|-------------|
| S-180-12 | 12V15A |
| WEIGHT | SIZE |
| 500g | 199*97*42mm |



| MODEL | OUTPUT |
|----------|-------------|
| S-200-12 | 12V16.5A |
| WEIGHT | SIZE |
| 500g | 199*97*42mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-250-12 | 12V20A |
| WEIGHT | SIZE |
| 613g | 199*109*50mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-250-12 | 12V20A(FAN) |
| WEIGHT | SIZE |
| 620g | 199*109*50mm |

12V Switching Power Supply IP20



| MODEL | OUTPUT |
|----------|--------------|
| S-360-12 | 12V30A(FAN) |
| WEIGHT | SIZE |
| 783g | 215*115*50mm |



| MODEL | OUTPUT |
|----------|---------------|
| S-480-12 | 12V40A(SMALL) |
| WEIGHT | SIZE |
| 785g | 215*115*50mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-480-12 | 12V40A(FAN) |
| WEIGHT | SIZE |
| 1360g | 240*125*65mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-600-12 | 12V50A(FAN) |
| WEIGHT | SIZE |
| 1625g | 242*131*68mm |

24V Slim Switching Power Supply IP20



| MODEL | OUTPUT |
|---------|------------|
| S-25-24 | 24V1A |
| WEIGHT | SIZE |
| 122g | 85*57*34mm |



| MODEL | OUTPUT |
|---------|-------------|
| S-50-24 | 24V2A |
| WEIGHT | SIZE |
| 179g | 110*78*36mm |



| MODEL | OUTPUT |
|---------|--------------|
| S-75-24 | 24V3A(SMALL) |
| WEIGHT | SIZE |
| 190g | 110*78*36mm |



| MODEL | OUTPUT |
|---------|-------------|
| S-75-24 | 24V3A(BIG) |
| WEIGHT | SIZE |
| 300g | 158*97*42mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-120-24 | 24V5A(SMALL) |
| WEIGHT | SIZE |
| 320g | 158*97*42mm |



| MODEL | OUTPUT |
|----------|-------------|
| S-120-24 | 24V5A(BIG) |
| WEIGHT | SIZE |
| 448g | 199*97*42mm |

24V Slim Switching Power Supply IP20



| MODEL | OUTPUT |
|----------|-------------|
| S-180-24 | 24V7.5A |
| WEIGHT | SIZE |
| 462g | 199*97*42mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-250-24 | 24V10A |
| WEIGHT | SIZE |
| 632g | 199*109*50mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-360-24 | 24V15A(FAN) |
| WEIGHT | SIZE |
| 778g | 215*112*50mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-500-24 | 24V20A |
| WEIGHT | SIZE |
| 1352g | 240*125*65mm |



| MODEL | OUTPUT |
|----------|--------------|
| S-600-24 | 24V25A |
| WEIGHT | SIZE |
| 1620g | 242*131*68mm |

5V Switching Power Supply IP20



| MODEL | OUTPUT |
|--------|------------|
| S-10-5 | 5V2A |
| WEIGHT | SIZE |
| 55g | 70*40*30mm |



| MODEL | OUTPUT |
|--------|------------|
| S-20-5 | 5V3.8A |
| WEIGHT | SIZE |
| 122g | 85*57*34mm |



| MODEL | OUTPUT |
|--------|-------------|
| S-25-5 | 5V5.5A |
| WEIGHT | SIZE |
| 181g | 110*78*36mm |



| MODEL | OUTPUT |
|--------|--------------|
| S-50-5 | 5V10A(SMALL) |
| WEIGHT | SIZE |
| 201g | 110*78*36mm |



| MODEL | OUTPUT |
|--------|-------------|
| S-50-5 | 5V10A(BIG) |
| WEIGHT | SIZE |
| 308g | 158*97*42mm |



| MODEL | OUTPUT |
|---------|-------------|
| S-100-5 | 5V20A |
| WEIGHT | SIZE |
| 473g | 199*97*42mm |

5V Switching Power Supply IP20



| MODEL | OUTPUT |
|---------|-------------|
| S-150-5 | 5V30A |
| WEIGHT | SIZE |
| 538g | 199*97*42mm |



| MODEL | OUTPUT |
|---------|--------------|
| S-200-5 | 5V40A |
| WEIGHT | SIZE |
| 657g | 199*109*50mm |



| MODEL | OUTPUT |
|---------|--------------|
| S-200-5 | 5V40A(FAN) |
| WEIGHT | SIZE |
| 660g | 199*109*50mm |



| MODEL | OUTPUT |
|---------|--------------|
| S-300-5 | 5V60A |
| WEIGHT | SIZE |
| 770g | 215*112*50mm |

3V Switching Power Supply IP20



3V15W



3V30W



3V60W



3V90W



3V120W



3V180W

| MODEL | OUTPUT | WEIGHT | SIZE |
|---------|------------|--------|--------------|
| S-15-3 | 3V5A | 181g | 110*78*36mm |
| S-30-3 | 3V10A | 308g | 158*97*42mm |
| S-60-3 | 3V20A | 473g | 199*97*42mm |
| S-90-3 | 3V30A | 538g | 199*97*42mm |
| S-120-3 | 3V40A | 657g | 199*109*50mm |
| S-180-3 | 3V60A(FAN) | 770g | 215*112*50mm |

6V Switching Power Supply IP20



6V60W



6V120W



6V180W



6V240W



6V300W

| MODEL | OUTPUT | WEIGHT | SIZE |
|---------|------------|--------|--------------|
| S-60-6 | 6V10A | 308g | 158*97*42mm |
| S-120-6 | 6V20A | 473g | 199*97*42mm |
| S-180-6 | 6V30A | 538g | 199*97*42mm |
| S-240-6 | 6V40A | 657g | 199*109*50mm |
| S-300-6 | 6V50A(FAN) | 770g | 215*112*50mm |

9V Switching Power Supply IP20



9V18W



9V45W



9V90W



9V180W



9V270W

| MODEL | OUTPUT | WEIGHT | SIZE |
|---------|------------|--------|--------------|
| S-18-9 | 9V2A | 122g | 85*57*34mm |
| S-45-9 | 9V5A | 369g | 158*97*42mm |
| S-90-9 | 9V10A | 461g | 199*97*42mm |
| S-180-9 | 9V20A | 613g | 199*109*50mm |
| S-270-9 | 9V30A(FAN) | 783g | 215*112*50mm |

13.8V/15V Switching Power Supply IP20



13.8V414W



15V30W



15V75W



15V150W



15V300W

| MODEL | OUTPUT | WEIGHT | SIZE |
|------------|---------------|--------|--------------|
| S-400-13.8 | 13.8V30A(FAN) | 783g | 215*112*50mm |
| S-30-15 | 15V2A | 122g | 85*57*34mm |
| S-75-15 | 15V5A | 369g | 158*97*42mm |
| S-150-15 | 15V10A | 461g | 199*97*42mm |
| S-300-15 | 15V20A | 613g | 199*109*50mm |

18V Switching Power Supply IP20



18V36W



18V54W



18V54W



18V90W



18V135W



18V360W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|--------------|--------|--------------|
| S-36-18 | 18V2A | 179g | 110*78*36mm |
| S-54-18 | 18V3A(SMALL) | 185g | 110*78*36mm |
| S-54-18 | 18V3A(BIG) | 304g | 158*97*42mm |
| S-90-18 | 18V5A | 448g | 199*97*42mm |
| S-135-18 | 18V7.5A | 462g | 199*97*42mm |
| S-180-18 | 18V10A | 632g | 199*109*50mm |
| S-270-18 | 18V15A | 778g | 215*112*50mm |
| S-360-18 | 18V20A | 783g | 215*112*50mm |

36V Switching Power Supply IP20



36V70W



36V180W



36V360W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|-------------|--------|--------------|
| S-70-36 | 36V2A | 330g | 158*98*42mm |
| S-180-36 | 36V5A | 570g | 199*97*42mm |
| S-360-36 | 36V10A(FAN) | 900g | 242*112*50mm |

48V Switching Power Supply IP20



48V100W



48V145W



48V240W



48V360W



48V480W



48V720W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|---------|--------|--------------|
| S-100-48 | 48V2A | 375g | 158*97*42mm |
| S-145-48 | 48V3A | 480g | 199*97*42mm |
| S-240-48 | 48V5A | 650g | 199*109*50mm |
| S-360-48 | 48V7.5A | 900g | 215*112*50mm |
| S-480-48 | 48V10A | 1400g | 240*122*63mm |
| S-600-48 | 48V15A | 2000g | 242*131*68mm |

Multiple Output Switching Power Supply IP20



| MODEL | SIZE |
|-------------|-------------|
| D-60X | 158*98*40mm |
| OUTPUT | |
| 24V3A 12V3A | |



| MODEL | SIZE |
|-------------------|-------------|
| Q-60C | 158*98*40mm |
| OUTPUT | |
| 5V5A 24V1A ±15V1A | |



| MODEL | SIZE |
|--------------|-------------|
| D-60A | 158*98*40mm |
| OUTPUT | |
| 24V3A 5V2.5A | |



| MODEL | SIZE |
|---------------------|-------------|
| T-60B | 158*98*40mm |
| OUTPUT | |
| 5V5A 12V2.5A -12V1A | |



| MODEL | SIZE |
|-------------|-------------|
| D-150N | 198*98*42mm |
| OUTPUT | |
| 24V5A 12V4A | |



| MODEL | SIZE |
|-------------|--------------|
| D-150N | 198*102*45mm |
| OUTPUT | |
| 24V5A 12V4A | |

Ultra-thin Switching Power Supply IP20



5V300W



12V150W



12V250W



12V360W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|-------------|--------|--------------|
| T-300-5 | 5V60A(FAN) | 625g | 216*116*30mm |
| T-150-12 | 12V12.5A | 360g | 164*98*30mm |
| T-240-12 | 12V20A | 565g | 216*116*30mm |
| T-360-12 | 12V30A(FAN) | 565g | 216*116*30mm |

Waterproof Switching Power Supply IP67



12V20W



12V30W



12V50W



12V80W



12V100W



12V250W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|----------|--------|--------------|
| W-20-12 | 12V1.66A | 195g | 162*30*21mm |
| W-30-12 | 12V2.5A | 236g | 202*30*21mm |
| W-36-12 | 12V3A | 241g | 202*30*21mm |
| W-50-12 | 12V4.16A | 436g | 163*47*30mm |
| W-60-12 | 12V5A | 440g | 163*47*30mm |
| W-80-12 | 12V6.66A | 880g | 199*66*44mm |
| W-100-12 | 12V8.5A | 880g | 199*66*44mm |
| W-120-12 | 12V10A | 900g | 215*66*44mm |
| W-150-12 | 12V12.5A | 940g | 235*66*44mm |
| W-250-12 | 12V20A | 1865g | 225*120*56mm |

Rainproof Switching Power Supply IP50



12V400W



24V400W



| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|----------|--------|--------------|
| F-400-12 | 12V3.33A | 587g | 196*112*50mm |
| F-400-24 | 24V16.7A | 587g | 196*112*50mm |



12V100W



12V150W



12V200W



12V300W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|-------------|--------|-------------|
| S-100-12 | 12V8.5A | 185g | 199*53*21mm |
| S-150-12 | 12V12.5A | 270g | 256*53*21mm |
| S-200-12 | 12V16.5A | 300g | 308*53*21mm |
| S-300-12 | 12V25A(FAN) | 305g | 308*53*21mm |

12V Slim Switching Power Supply IP20



| MODEL | OUTPUT | WEIGHT | SIZE |
|-------------|----------|--------|-------------|
| SPYM-200-48 | 48V4.17A | 390g | 208*63*30mm |
| SPYM-300-48 | 48V6.25A | 510g | 227*63*32mm |
| SPYM-200-12 | 12V16.6A | 420g | 287*49*29mm |
| SPYM-200-24 | 24V8.3A | 420g | 287*49*29mm |
| SPYM-300-48 | 48V6.25A | 520g | 329*46*30mm |
| SPYM-200-48 | 48V4.2A | 430g | 329*46*30mm |

12V Slim Switching Power Supply IP20



12V60W



12V120W



12V150W



12V240W



12V360W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|----------|--------|-------------|
| S-60-12 | 12V5A | 166g | 162*40*33mm |
| S-120-12 | 12V10A | 216g | 189*46*37mm |
| S-150-12 | 12V12.5A | 356g | 200*60*37mm |
| S-240-12 | 12V20A | 405g | 223*68*40mm |
| S-360-12 | 12V30A | 527g | 223*68*40mm |

24V Slim Switching Power Supply IP20



24V70W



24V120W



24V240W

| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|--------|--------|-------------|
| S-70-24 | 24V3A | 166g | 162*40*33mm |
| S-120-24 | 24V5A | 216g | 189*46*37mm |
| S-240-24 | 24V10A | 405g | 223*68*40mm |

CCTV Power Supply



4CH





9CH



18CH

| MODEL | OUTPUT | WEIGHT | SIZE |
|------------|--------|--------|--------------|
| 12V3A4CH | 12V3A | 70g | 163*163*55mm |
| 12V5A4CH | 12V5A | 800g | 163*163*55mm |
| 12V5A9CH | 12V5A | 1290g | 205*235*55mm |
| 12V10A9CH | 12V10A | 1340g | 205*235*55mm |
| 12V10A18CH | 12V10A | 1710g | 317*210*53mm |
| 12V15A18CH | 12V15A | 1770g | 317*210*53mm |
| 12V20A18CH | 12V20A | 2000g | 317*220*63mm |
| 12V30A18CH | 12V30A | 2150g | 317*220*63mm |

CCTV Power Supply with AC Plug



4CH

9CH

18CH


| MODEL | OUTPUT | WEIGHT | SIZE |
|------------|--------|--------|--------------|
| 12V3A4CH | 12V3A | 70g | 163*163*55mm |
| 12V5A4CH | 12V5A | 800g | 163*163*55mm |
| 12V5A9CH | 12V5A | 1290g | 205*235*55mm |
| 12V10A9CH | 12V10A | 1340g | 205*235*55mm |
| 12V10A18CH | 12V10A | 1710g | 317*210*53mm |
| 12V15A18CH | 12V15A | 1770g | 317*210*53mm |
| 12V20A18CH | 12V20A | 2000g | 317*220*63mm |
| 12V30A18CH | 12V30A | 2150g | 317*220*63mm |

12V Adapter



| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|--------|--------|-------------|
| SP-0601D | 6V1A | 60g | 70*45*25mm |
| SP-1201D | 12V1A | 80g | 85*45*25mm |
| SP-1202S | 12V2A | 130g | 125*55*35mm |
| SP-1205 | 12V5A | 180g | 125*55*35mm |
| SP-1202F | 12V2A | 140g | 75*50*30mm |
| SP-1210 | 12V18A | 1050g | 75*43*30mm |

Led Ultra-thin Light box Power Supply



| MODEL | OUTPUT | WEIGHT | SIZE |
|---------|---------|--------|-------------|
| S-18-12 | 12V1.5A | 50g | 170*18*17mm |
| S-24-12 | 12V2A | 60g | 170*18*17mm |
| S-36-12 | 12V3A | 80g | 260*18*17mm |
| S-48-12 | 12V4A | 90g | 260*18*17mm |
| S-60-12 | 12V5A | 110g | 290*18*17mm |

Rail Type Power Supply






| MODEL | OUTPUT | WEIGHT | SIZE |
|----------|----------|--------|------------------|
| S-75-12 | 12V6.3A | 510g | 32*125.2*102mm |
| S-120-12 | 12V10A | 600g | 40*125.2*113.5mm |
| S-75-24 | 24V3.2A | 510g | 32*125.2*102mm |
| S-120-24 | 24V5A | 600g | 40*125.2*113.5mm |
| S-150-24 | 24V6.5A | 600g | 40*125*114mm |
| S-75-48 | 48V1.6A | 510g | 32*125.2*102mm |
| S-120-48 | 48V2.5A | 600g | 40*125.2*113.5mm |
| S-15-12 | 12V1.25A | 78g | 17.5*90*54.5mm |
| S-18-12 | 12V2A | 120g | 35*90*54.5mm |
| S-30-12 | 12V4.5A | 190g | 52.5*90*54.5mm |
| S-15-24 | 24V0.63A | 78g | 17.5*90*54.5mm |
| S-30-24 | 24V1.5A | 120g | 35*90*54.5mm |
| S-60-24 | 24V2.5A | 190g | 52.5*90*54.5mm |

AC/DC Power Cable



| MODEL | WEIGHT | SIZE |
|--------------|--------|--------|
| DC 5.5 * 2.5 | 20g | 260mm |
| DC 0.5 | 60g | 1500mm |
| DC-2CORE | 60g | 1500mm |
| US-3CORE | 120g | 1220mm |
| UK-3CORE | 90g | 1100mm |
| DC-3CORE | 140g | 1220mm |

Manufacturing Process



The Reception

